




TYPE VF150
(VERTICAL FACED CURB WITHOUT CURB ANCHOR)
(SEE NOTE 4)




TYPE M150
(MOUNTABLE CURB WITHOUT CURB ANCHOR)
(SEE NOTE 5)




TYPE M100
(MOUNTABLE CURB WITHOUT CURB ANCHOR)




TYPE T100
(TRAVERSABLE CURB)




CURB ANCHOR
(NEW CURB BY EXISTING PAVEMENT)




TYPE VF150A
(VERTICAL FACED CURB WITH CURB ANCHOR)
(SEE CURB ANCHOR DETAILS)
(SEE NOTE 4)




TYPE M150A
(VERTICAL FACED CURB WITH CURB ANCHOR)
(SEE CURB ANCHOR DETAILS)
(SEE NOTE 5)




TYPE M100A
(MOUNTABLE CURB WITH CURB ANCHOR)
(SEE CURB ANCHOR DETAILS)



CURB ANCHOR
(NEW CONSTRUCTION)
(SEE NOTE 2)




TYPE PVF150 (VERTICAL FACED CURB) **TYPE PM100** (MOUNTABLE CURB)
PRECAST CONCRETE CURB




TYPE PT100
(TRAVERSABLE CURB)
PRECAST CONCRETE CURB

CAST-IN-PLACE CONCRETE CURB




TYPE VF150G
(VERTICAL FACED CURB AND GUTTER)




TYPE M100G
(MOUNTABLE CURB AND GUTTER)


CAST-IN-PLACE CONCRETE CURB AND GUTTER



PRECAST CONCRETE, STONE, AND GRANITE CURB WITH FLEXIBLE PAVEMENT BEDDING AND BACKFILL




PRECAST CONCRETE, STONE, AND GRANITE CURB WITH RIGID PAVEMENT BEDDING AND BACKFILL



VERTICAL FACED TYPE

HOT MIX ASPHALT CURB



MOUNTABLE TYPE

NOTES:

- USE CURB AND CURB AND GUTTER MEETING THE MATERIAL AND CONSTRUCTION REQUIREMENTS OF SECTION 609 OF THE STANDARD SPECIFICATIONS.
- CURB ANCHOR (NEW CONSTRUCTION). THIS DETAIL SHOWS PLACEMENT OF CURB ANCHORS. PUSH-IN TYPE ANCHORS MAY BE USED (SHOWN ON THE STANDARD SHEET FOR LONGITUDINAL TIES).
- CURB TYPES M150A, VF150A AND M100A REQUIRE CURB ANCHOR. CURB AND GUTTER TYPES VF150G AND M100G REQUIRE ANCHORS WHEN PLACED ADJACENT TO CONCRETE PAVEMENT OR SHOULDER.
- WHEN VERTICAL FACED CURB LESS THAN 9" WIDE IS USED WITH CURB BOXES CU1, CU2, AND CU3 AND CONCRETE SIDEWALK IS PLACED ADJACENT TO THIS CURB, SEE STANDARD SHEET MISCELLANEOUS CURB DETAILS FOR CURB BOX JOINTS.
- USE WITH CURB BOXES, CM1, CM2, AND CM3.

EFFECTIVE DATE: 01/08/09

	STATE OF NEW YORK DEPARTMENT OF TRANSPORTATION
	U.S. CUSTOMARY STANDARD SHEET
CONCRETE CURB, CURB AND GUTTER, AND HOT MIX ASPHALT CURB	
APPROVED SEPTEMBER 19, 2008 /S/ DANIEL D'ANGELO, P.E. DEPUTY CHIEF ENGINEER (DESIGN)	ISSUED UNDER EB 08-036 609-03